	SAFETY DATA SHEET	
Dyna Gold MZF	Date Prepared: 8/4/2014	Replaces: All Previous
	SECTION 1. IDENTIFICATION	
Product Name:	Dyna Gold MZF	
Synonyms:	GOLDMZF	
Use:	Agricultural, Liquid Micronutrier	nt Fertilizer
Manufacturer:	Chemical Dynamics, Inc.	
	4206 Business Lane	
	Plant City FL 33566	
Phone:	813-752-4950	
Chemtrec (Emergency) Phone:	800-424-9300	

SECTION 2. HAZARDS IDENTIFICATION				
Pictogram	Signal Word	Hazard Class	Hazard Category	Hazard Statement
	WARNING	STOT: repeat exposure	Cat 2	May cause damage to central nervous system through prolonged or repeat exposure
Precautionary	<b>Prevention:</b> Do not breathe vapors, mists or sprays. Wash thoroughly after handling.			
Statements:	Use only outdoors or in a well-ventilated area.			
	<b>Response</b> : Get medical attention/advice if you feel unwell.			
	<b>Storage</b> : <b>Disposal</b> : Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS).			

SECTION 3. COMPOSITION			
Material	CAS #	EINECS #	%WT
Manganese Glucoheptonate	12565-60-5	Not Assigned	18%
Ferrous Glucoheptonate	25126-38-9	Not Assigned	Proprietary blend of
Zinc Glucoheptonate	12565-63-8	Not Assigned	materials not classified
Water	7732-18-5	231-791-2	as hazardous

See product label for guaranteed analysis.

	SECTION 4. FIRST AID MEASURES
General:	In case of persisting adverse effects consult a physician. Treat symptomatically.
Ingestion:	Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give
	anything by mouth to an unconscious person.
Skin Contact:	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and
	water.
Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide
	artificial respiration if necessary. Seek medical attention if necessary.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses if present
	and easy to do. Continue rinsing. If eye irritation persists: get medical attention.
Acute Exposure	May cause slight, transient irritation of eyes and skin. Ingestion may be irritating to
Symptoms:	the gastrointestinal tract.
Chronic Exposure	Prolonged skin contact may result in dermatitis (inflammation and redness of skin).
Symptoms:	Manganese may lead to neurotoxicity that resembles Parkinson disease. These
	patients may have bradykinesia, resting tremor, psychiatric disturbances, and
	shuffling gait.

	SECTION 5. FIRE FIGHTING MEASURES
Extinguishing Media:	Water spray is recommended. Halon, foam, dry chemical, CO2 or any ABC class extinguisher are acceptable. Use extinguishing agent most appropriate to surrounding materials. Cool containers with water spray to avoid rupture due to thermal expansion.
Specific Hazards:	This product is an aqueous mixture which will not burn. In a fire this material may decompose and produce acrid vapors, manganese, iron and zinc compounds, sulfur oxides and carbon oxides
Protective Equipment and Precautions for Fire-Fighters:	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid inhaling combustion products. Fire run-off should be contained to prevent possible environmental damage.
NFPA Rating:	Health: 1, Fire: 0, Reactivity: 0

	SECTION 6. ACCIDENTAL RELEASE MEASURES
Precautions:	Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying.
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing.
Equipment:	Chemical splash-proof goggles.
	Chemical resistant apron and/or rubber boots may be needed.
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand
	and maximize recovery.
Clean Up:	Pump into a suitable tank or absorb with diatomaceous earth or sand. Sweep up
	and place into suitable containers for agronomical land application at
	recommended rates or dispose of in accordance with local/regional/national
	regulations (See Section 13 of SDS).

SECTION 7. HANDLING AND STORAGE			
Precautions for	Avoid contact with skir	n and eyes. Do not	breathe sprays, vapors or mists. Do not
safe handling:	eat, drink or use tobacco products when handling this material. Apply product in		
	open areas. Keep away from children and pets. Do not contaminate feed, seed or		
	any water sources. Launder work clothes frequently and separate from other		
	laundry.		
Conditions for	-		ilated, cool, dry place, away from direct
safe storage:			re freezing is possible. Do not let product
	<b>°</b> '	•	ainers before storage, to ensure containers
	are properly labeled ar		
Incompatibilities:	Water reactive materia	als, strong oxidizer	S
	SECTION 8. EXPOSURE		SONAL PROTECTION
Component	Manganese	5 mg/m <sup>3</sup>	PEL, OSHA (as Mn compounds)
Exposure Limits:	Glucoheptonate	Not Established	STEL, OSHA
		0.2 mg/m <sup>3</sup>	TLV, ACGIH (as Mn compounds)
		500 mg/m <sup>3</sup>	IDLH, NIOSH (as Mn)
		1 mg/m <sup>3</sup>	TWA, NIOSH (as Mn)
		3 mg/m <sup>3</sup>	STEL, NIOSH (as Mn)
	Iron Glucoheptonate	1 mg/m <sup>3</sup>	PEL, OSHA (Iron Soluble Salts, as Fe)
		1 mg/m <sup>3</sup>	TWA, ACGIH (Iron Soluble Salts, as Fe)
		Not Established	IDLH, NIOSH
		1 mg/m <sup>3</sup>	REL, NIOSH (Iron Soluble Salts, as Fe)
		Not Established	STEL, NIOSH
	Zinc Glucoheptonate	Not Established	PEL, OSHA
		Not Established	TWA, ACGIH
		Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
Engineering	Provide local exhaust v	ventilation and was	sh facilities.
Controls:			
Personal	Eves: Chemical splash-proof goggles (where splashing is possible)		
Protective	Skin: Impervious gloves (rubber, neoprene or nitrile), long sleeved clothing.		
Equipment:	Chemically resistant apron is recommended.		
	<u>Respiratory</u> : None required for ambient air concentrations (i.e. in the open under		
	normal agronomic conditions) not exceeding occupational exposure limits.		
	Respiratory protection may be required in the event of a spill in an enclosed area.		
	Use a NIOSH/MSHA approved SCBA with full face piece operated in a positive processure mode		
Ganarali	pressure mode. Eye wash stations and safety shower recommended.		
General:	Eye wash stations and	salety shower reco	ommenaea.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Dark, Opaque liquid		
Odor:	Slight sweet odor	UEL / LEL:	Not Applicable
Odor Threshold:	Not Available	Vapor Pressure:	Similar to water
pH:	4.5 to 6.0	Density:	1.34 to 1.36 g/cm <sup>3</sup>
Melting/Freezing Point:	< 0°C (32°F)	Solubility:	Water
Boiling Point:	> 100°C (212°F)	Log <sub>ow</sub> :	Not Available
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable
Evaporation Rate:	Similar to water	Decomposition Temp:	Not Available
Flammability (Solid/Gas):	Not Applicable	Viscosity	Not Available

SECTION 10. STABILITY AND REACTIVITY		
Reactivity:	Stable	
Chemical Stability:	Stable under normal conditions	
Possibility of Hazardous	Hazardous polymerization will not occur.	
Reactions:		
Conditions to avoid:	Avoid exposure to extreme temperatures, contact with incompatible chemicals and all contact with combustible materials. Elevated temperatures may cause containers to rupture. Cold temperatures may cause product to salt out.	
Incompatible Materials:	Water reactive materials, strong oxidizers.	
Hazardous	Manganese, iron and zinc compounds, sulfur oxides and carbon oxides	
<b>Decomposition Products:</b>		

	SECTION 11. TOXILOGICAL INFORMATION
Acute Toxicity:	Manganese Glucoheptonate and Zinc Glucoheptonate: LD50 oral (rat): Not available, but for an analog manganese and zinc complexes: LD50 oral (rat) >5000 mg/kg Iron Glucoheptonate LD50 oral (rat): >2000 mg/kg
Likely Routes of Exposure:	Inhalation, ingestion or skin absorption
Symptoms and Signs of Exposure:	<ul> <li><u>Eyes</u>: May cause mild irritation. May result in redness, tearing and blurred vision.</li> <li><u>Skin</u>: Ma cause mild irritation to the skin. May result in redness, itching and pain.</li> <li><u>Ingestion</u>: May cause digestive tract irritation, with accompanying nausea, vomiting and diarrhea.</li> <li><u>Inhalation</u> of mist may irritate or burn nose, throat and lungs. Coughing, nausea, headaches and weakness are possible.</li> <li>Effects are expected to be transient.</li> </ul>

Chronic Effects:	<ul> <li>Prolonged skin contact may result in dermatitis (inflammation and redness of skin.</li> <li>Manganese may lead to neurotoxicity that resembles Parkinson disease.</li> <li>These patients may have bradykinesia, resting tremor, psychiatric disturbances, and shuffling gait. Also, chronic excess manganese inhalational exposures may lead to pulmonary inflammation and subsequent reactive airway disease.</li> </ul>
Carcinogenetic:	None of this product's components are listed by IARC, ACGIH, OSHA, NIOSH or NTP as carcinogenic.
Mutagonicity:	Not Available
Mutagenicity:	
<b>Reproductive Toxicity:</b>	Not Available

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity:	In high concentrations, this product may be harmful to both terrestrial and	
	aquatic plant or animal life.	
<b>Other Adverse Effects:</b>	Not harmful to ozone layer	
Ecotoxicity:	Manganese Glucoheptonate: Not Available. However, for analogous,	
	derived from water soluble manganese compound:	
	LC50 Daphnia magna (Water Flea): 15200 ug/L/48 hr; static	
	LC50 Canthocamptus sp (Harpacticoid Copepod): 150 ug/L/48 hr;	
	static	
	LC50 Pimephales promelas (Fathead Minnow): 30600 ug/L/96 hr;	
	flow through	
	Zinc Glucoheptonate, Iron Glucoheptonate: Not Available	

SECTION 13. DISPOSAL CONSIDERATIONS	
General Information:	None
Disposal Instructions:	Agronomical land application at recommended rates or dispose of in accordance with local/regional/national regulations.

SECTION 14. TRANSPORT INFORMATION		
This material is not hazardous as defined by 49 CFR 172.101 by the US Department of Transportation		
Proper Shipping Name:	Not Applicable	
Hazard Class:	Not Applicable	
UN Identification #:	Not Applicable	
Packing Group:	Not Applicable	
Required Label(s):	Not Applicable	
Emergency Response	Not Applicable	
Guide Number:		
Marine Pollutant:	Yes (Manganese)	

SECTION 15. REGULATORY INFORMATION		
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.	
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.	
United States – SARA Hazard Category:	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories: Fire – No, Pressure – No, Acute – No, Chronic – No, Reactive – No	
SARA Title III Information:	This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:	
	CERCLA RQ (pounds): No RQ is assigned to this generic or broad class, (Manganese and Zinc compounds) although the class is a CERCLA hazardous substance. See 50 Federal Register 13456 (April 4, 1985). SARA Reporting, 302: No SARA Reporting, 304: No SARA Reporting, 313: : Yes, 1.0% de minimus concentration (N450, Manganese Compounds), 1.0% de minimus concentration and (N982, Zinc Compounds)	
Federal Insecticide, Fungicide, and Rodenticide Act	This product is not a pesticide.	
State Regulations:	Other state regulations may apply. Check individual state requirements.	

## SECTION 16. OTHER INFORMATION

Date of Revision:	8/4/2014, revision prepared in accordance with 29 CFR 1910.1200 Appendix
Disclaimer:	D to meet Global Harmonization Standards. The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Because safety standards and regulations are subject to change and because Chemical Dynamics, Inc. has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. No warranty, expressed or implied, and no liability is assumed
	by Chemical Dynamics, Inc. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any
	patents.