	SAFETY DATA SHEET	
Dyna Green Homestead Mix	Date Prepared: 10/15/2014	Replaces: All Previous
	SECTION 1. IDENTIFICATION	
Product Name:	Dyna Green Homestead Mix	
Synonyms:	GREHMSTD	
Use:	Agricultural, Liquid Micronutrient	Fertilizer
Manufacturer:	Chemical Dynamics, Inc.	
	4206 Business Lane	
	Plant City FL 33566	
Phone:	813-752-4950	
Chemtrec (Emergency) Phone:	800-424-9300	

SECTION 2. HAZARDS IDENTIFICATION				
Pictogram	Signal Word	Hazard Class	Hazard Category	Hazard Statement
		Skin Irritation Eye Irritation	Cat 2 Cat 2A	Causes skin and serious eye irritation
	WARNING	STOT: repeat exposure	Cat 2	May cause damage to central nervous system through prolonged or repeat exposure
Precautionary Statements:	Prevention: Do not breathe vapors, mists or sprays. Wash thoroughly after handling.Wear protective gloves, protective clothing, chemical splash proof goggles, and face protection. Use only outdoors or in a well-ventilated area.Response: Get medical attention/advice if you feel unwell.If on skin: Wash with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical attention/advice.If inhaled: Remove person to fresh air and keep comfortable for breathing. Get medical attention if you feel unwell.If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.			

SECTION 3. COMPOSITION			
Material	CAS #	EINECS #	%WT
Manganese Lignosulfonate	68186-83-4	614-356-5	1.5%
Iron Lignosulfonate	39331-38-9	609-650-5	Proprietary Blend of Non-
Magnesium Lignosulfonate	8061-54-9	617-127-8	Hazardous Materials and
Zinc Lignosulfonate	57866-49-6	Not Assigned	Materials Below cutoff
Water	7732-18-5	231-791-2	values

See product label for guaranteed analysis.

	SECTION 4. FIRST AID MEASURES
General:	In case of persisting adverse effects consult a physician. Treat symptomatically.
Ingestion:	Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give
	anything by mouth to an unconscious person.
Skin Contact:	Take of immediately all contaminated clothing. Rinse skin with water/shower.
	Wash contaminated clothing before reuse.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. If not breathing,
	give artificial respiration. Seek prompt medical attention.
Eye Contact:	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and
	easy to do. If eye irritation persists: get medical attention.
Acute Exposure	May cause transient irritation of eyes and skin. Ingestion may be irritating to the
Symptoms:	gastrointestinal tract.
Chronic Exposure	Prolonged skin contact may result in dermatitis (inflammation and redness of skin).
Symptoms:	Manganese may lead to neurotoxicity that resembles Parkinson disease. These
	patients may have bradykinesia, resting tremor, psychiatric disturbances, and
	shuffling gait.

SECTION 5. FIRE FIGHTING MEASURES		
Extinguishing	Water spray is recommended. Halon, foam, dry chemical, CO2 or any ABC class	
Media:	extinguisher are acceptable. Use extinguishing agent most appropriate to	
	surrounding materials. Cool containers with water spray to avoid rupture due to	
	thermal expansion.	
Specific Hazards:	This product is an aqueous mixture which will not burn. In a fire this material may	
	decompose and produce acrid vapors, manganese, iron, zinc and magnesium	
	compounds, sulfur oxides and carbon oxides	
Protective	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid	
Equipment and	inhaling combustion products.	
Precautions for	Fire run-off should be contained to prevent possible environmental damage.	
Fire-Fighters:		
NFPA Rating:	Health: 1, Fire: 0, Reactivity: 0	

	SECTION 6. ACCIDENTAL RELEASE MEASURES
Precautions:	Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying.
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing.
Equipment:	Chemical splash-proof goggles.
	Chemical resistant apron and/or rubber boots may be needed.
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand
	and maximize recovery.
Clean Up:	Pump into a suitable tank or absorb with diatomaceous earth or sand. Sweep up and place into suitable containers for agronomical land application at recommended rates or dispose of in accordance with local/regional/national regulations (See Section 13 of SDS).

	SECTION 7. HANDLING AND STORAGE		
Precautions for safe handling: Conditions for	Avoid contact with skin and eyes. Do not breathe sprays, vapors or mists. Do not eat, drink or use tobacco products when handling this material. Apply product in open or well ventilated areas. Keep away from children and pets. Do not contaminate feed, seed or any water sources. Launder work clothes frequently and separate from other laundry.		
safe storage:	Store in original containers in a well-ventilated, cool, dry place, away from direct sunlight, sources of intense heat, or where freezing is possible. Do not let product go below 32°F. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Store in polypropylene or fiberglass corrosion resistant containers.		
Incompatibilities:	Water reactive materia		S
•	SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
Component Exposure Limits:	Manganese Lignosulfonate Iron Lignosulfonate	5 mg/m <sup>3</sup> Not Established 0.2 mg/m <sup>3</sup> 500 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 3 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> Not Established 1 mg/m <sup>3</sup> Not Established	PEL, OSHA (as Mn compounds) STEL, OSHA TLV, ACGIH (as Mn compounds) IDLH, NIOSH (as Mn) TWA, NIOSH (as Mn) STEL, NIOSH (as Mn) PEL, OSHA (Iron Soluble Salts, as Fe) TWA, ACGIH (Iron Soluble Salts, as Fe) IDLH, NIOSH REL, NIOSH (Iron Soluble Salts, as Fe) STEL, NIOSH
Engineering Controls:	Magnesium Lignosulfonate, Zinc Lignosulfonate Provide local exhaust v	Not Established Not Established Not Established Not Established Not Established /entilation and was	PEL, OSHA TWA, ACGIH IDLH, NIOSH REL, NIOSH STEL, NIOSH sh facilities.

Personal	Eves: Chemical splash-proof goggles (where splashing is possible)
Protective	Skin: Impervious gloves (rubber, neoprene or nitrile), long sleeved clothing.
Equipment:	Chemically resistant apron is recommended.
	Respiratory: None required for ambient air concentrations (i.e. in the open under
	normal agronomic conditions) not exceeding occupational exposure limits.
	Respiratory protection may be required in the event of a spill in an enclosed area
	or under misting conditions. Use a NIOSH/MSHA approved SCBA with full face
	piece operated in a positive pressure mode.
General:	Eye wash stations and safety shower recommended.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Dark, Opaque liquid		
Odor:	sweet/woody odor	UEL / LEL:	Not Applicable
Odor Threshold:	Not Available	Vapor Pressure:	Similar to water
pH:	2.1 to 3.1	Density:	1.24 to 1.27 g/cm <sup>3</sup>
Melting/Freezing Point:	< 0°C (32°F)	Solubility:	Water
Boiling Point:	> 100°C (212°F)	Log <sub>ow</sub> :	Not Available
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable
Evaporation Rate:	Similar to water	Decomposition Temp:	Not Available
Flammability (Solid/Gas):	Not Applicable	Viscosity	Not Available

SECTION 10. STABILITY AND REACTIVITY		
Reactivity:	Stable	
Chemical Stability:	Stable under normal conditions	
Possibility of Hazardous	Hazardous polymerization will not occur.	
Reactions:		
Conditions to avoid:	Avoid exposure to extreme temperatures, contact with incompatible	
	chemicals. Elevated temperatures may cause containers to rupture.	
	Extreme cold temperatures may cause product to salt out.	
Incompatible Materials:	Water reactive materials, strong oxidizers.	
Hazardous	Manganese, iron, zinc and magnesium compounds, sulfur oxides and	
<b>Decomposition Products:</b>	carbon oxides	

	SECTION 11. TOXILOGICAL INFORMATION
Acute Toxicity:	Manganese Lignosulfonate: LD50 oral (rat): Not available, but for an analog manganese compound: LD50 oral (rat) >5000 mg/kg Zinc Lignosulfonate: LD50 oral (rat): Not available, but for analog zinc complex the LD50(oral) Mouse >5000 mg/kg Iron Lignosulfonate, Magnesium Lignosulfonate LD50 oral (rat): >2000 mg/kg
Likely Routes of	Inhalation, ingestion or skin absorption
Exposure:	
Symptoms and Signs of	Eves: May cause mild irritation. May result in redness, tearing and blurred
Exposure:	<ul> <li>vision.</li> <li><u>Skin</u>: Ma cause mild irritation to the skin. May result in redness, itching and pain.</li> <li><u>Ingestion</u>: May cause digestive tract irritation, with accompanying nausea, vomiting and diarrhea.</li> <li><u>Inhalation</u> of mist may irritate or burn nose, throat and lungs. Coughing, nausea, headaches and weakness are possible.</li> <li>Effects are expected to be transient.</li> </ul>
Chronic Effects:	Manganese may lead to neurotoxicity that resembles Parkinson disease. These patients may have bradykinesia, resting tremor, psychiatric disturbances, and shuffling gait. Also, chronic excess manganese inhalational exposures may lead to pulmonary inflammation and subsequent reactive airway disease.
Carcinogenetic:	None of this product's components are listed by IARC, ACGIH, OSHA, NIOSH or NTP as carcinogenic.
Mutagenicity:	Not Available
Reproductive Toxicity:	Not Available

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity:	In high concentrations, this product may be harmful to both terrestrial and	
	aquatic plant or animal life.	
Other Adverse Effects:	Not harmful to ozone layer	
Ecotoxicity:	Manganese Lignosulfonate: Not Available. However, for analogous, derived	
	from water soluble manganese compound:	
	LC50 Daphnia magna (Water Flea): 15200 ug/L/48 hr; static	
	LC50 Canthocamptus sp (Harpacticoid Copepod): 150 ug/L/48 hr;	
	static	
	LC50 Pimephales promelas (Fathead Minnow): 30600 ug/L/96 hr;	
	flow through	
	Magnesium, Iron and Zinc Lignosulfonates: Not Available	

SECTION 13. DISPOSAL CONSIDERATIONS		
General Information:	None	
Disposal Instructions:	Agronomical land application at recommended rates or dispose of in accordance with local/regional/national regulations. Containers may be triple rinsed and offered for recycling.	
SECTION 14. TRANSPORT INFORMATION		
This material is not hazardous as defined by 49 CFR 172.101 by the US Department of Transportation		
Proper Shipping Name:	Not Applicable	
Hazard Class:	Not Applicable	
UN Identification #:	Not Applicable	
Packing Group:	Not Applicable	
Required Label(s):	Not Applicable	
Emergency Response	Not Applicable	
Guide Number:		
Marine Pollutant:	Yes (Manganese)	

SECTION 15. REGULATORY INFORMATION		
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.	
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.	
United States – SARA Hazard Category:	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories: Fire – No, Pressure – No, Acute – No, Chronic – Yes, Reactive – No	
SARA Title III Information:	This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:	
Manganese	CERCLA RQ (pounds): No RQ is assigned to this generic or broad class,	
Lignosulfonate, Zinc	(Manganese compounds and Zinc compounds) although the class is a	
Lignosulfonate	CERCLA hazardous substance. See 50 Federal Register 13456 (April 4, 1985).	
	SARA Reporting, 302: No	
	SARA Reporting, 304: No	
	SARA Reporting, 313: : Yes, 1.0% de minimus concentration (N450,	
	Manganese Compounds; N982, Zinc Compounds)	
Iron Lignosulfonate	CERCLA RQ (pounds): No	
and	SARA Reporting, 302: No	
Magnesium	SARA Reporting, 304: No	
Lignosulfonate	SARA Reporting, 313: No	
Federal Insecticide,	This product is not a pesticide.	
Fungicide, and		
Rodenticide Act		
State Regulations:	Other state regulations may apply. Check individual state requirements.	

SECTION 16. OTHER INFORMATION	
Date of Revision:	10/15/2014, revision prepared in accordance with 29 CFR 1910.1200
	Appendix D to meet Global Harmonization Standards.
Disclaimer:	The information contained in this SDS refers only to the specific material
	designated and does not relate to any process or use with any other
	materials. This information is based on data believed to be accurate and
	reliable as of the date hereof. It is intended for use by persons possessing
	technical knowledge at their own discretion and risk. Because safety
	standards and regulations are subject to change and because Chemical
	Dynamics, Inc. has no continuing control over the material, those handling,
	storing or using the material should satisfy themselves that they have
	current information regarding the particular way the material is handled,
	stored or used and that the same is done in accordance with federal, state
	and local law. No warranty, expressed or implied, and no liability is assumed
	by Chemical Dynamics, Inc. in conjunction with the use of this information.
	Nothing herein is to be construed as a recommendation to infringe any
	patents.