SAFETY DATA SHEET

Dyna Gro Magnesium 6.0 Date Prepared: 12/9/2013 Replaces: All Previous

SECTION 1. IDENTIFICATION

Product Name: Dyna Gro Magnesium 6.0

Synonyms: Magnesium Nitrate Solution, GROMG60
Use: Agricultural, Liquid Micronutrient Fertilizer

Manufacturer: Chemical Dynamics, Inc.

4206 Business Lane Plant City FL 33566

Phone: 813-752-4950 Chemtrec (Emergency) Phone: 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION					
Pictogram	Signal Word	Hazard Class	Hazard Category	Hazard Statement	
	WARNING	Skin Irritation Eye Irritation STOT: Single Exposure	Cat 2 Cat 2B Cat 3	Causes skin and eye irritation May cause respiratory Irritation	
Precautionary Statements:	Prevention: Avoid breathing mists or sprays. Use only outdoors or in a well-ventilated area. Wash exposed areas thoroughly after use. Wear chemical splash proof goggles, face protection and protective gloves. Response: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: get medical attention. If on skin: Wash with plenty of water. If skin irritation occurs, get medical attention. Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for				

SECTION 3.	COMPOSITION		
Material	CAS#	EINECS #	%WT
Magnesium Nitrate Hexahydrate	13446-18-9	233-826-7	63-64%
Water	7732-18-5	231-791-2	balance

See product label for guaranteed analysis.

	SECTION 4. FIRST AID MEASURES
Ingestion:	Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give
	anything by mouth to an unconscious person. Seek medical attention.
Skin Contact:	Take of all contaminated clothing. Rinse skin with soap and water for at least 15
	minutes. Seek medical attention if irritation persists. Wash contaminated clothing
	before reuse.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. If not breathing,
	give artificial respiration. Be observant for signs of pulmonary edema if
	overexposed. Seek prompt medical attention.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses if present
	and easy to do. Continue rinsing. If eye irritation persists: get medical attention.
Acute Exposure	Moderate irritant of eyes, skin and contaminated tissue. Prolonged contact can
Symptoms:	result in tissue damage which could lead to blindness. Ingestion can be harmful or
	fatal.
Chronic Exposure	Prolonged skin contact may result in dermatitis (inflammation and redness of skin).
Symptoms:	Repeated ingestion of small amounts may cause weakness, depression, headaches,
	neurological effects and mental impairment.

	SECTION 5. FIRE FIGHTING MEASURES
Extinguishing Media:	Water spray is recommended. Halon, foam, dry chemical, CO2 or any ABC class extinguisher are acceptable. Use extinguishing agent most appropriate to surrounding materials. Cool containers with water spray to avoid rupture due to thermal expansion.
Specific Hazards:	This product is an aqueous mixture which will not burn. Under fire conditions, this product behaves as an oxidizer if evaporated to dryness. Contact with oxidizable substances may result in ignition. Violent combustion or explosion when involved in fire can occur. In a fire this material may decompose and produce acrid vapors, magnesium compounds and oxides of nitrogen.
Protective Equipment and Precautions for Fire-Fighters:	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid inhaling combustion products. Fire run-off should be contained to prevent possible environmental damage.
NFPA Rating:	Health: 1, Fire: 0, Reactivity: 0

SECTION 6. ACCIDENTAL RELEASE MEASURES		
Precautions:	Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying.	
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing.	
Equipment:	Side-shielded safety glasses or chemical splash-proof goggles, face shield	
	Chemical resistant apron and/or rubber boots may be needed.	
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand	
	and maximize recovery. Do not absorb in saw dust.	
Clean Up:	Pump into a suitable tank or absorb with diatomaceous earth or sand. Sweep up	
	and place into suitable containers for agronomical land application at	
	recommended rates or dispose of in accordance with local/regional/national	
	regulations (See Section 13 of SDS).	

	SECTION 7. HANDLING AND STORAGE		
Precautions for	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Do not eat,		
safe handling:	drink or use tobacco products when handling this material. Apply product in open		
	areas. Keep away from children and pets. Do not contaminate feed, seed or any		
	water sources. Launder work clothes frequently and separate from other laundry.		
Conditions for	Store in a well-ventilated, cool, dry place, away from direct sunlight, sources of		
safe storage:	intense heat, or where freezing is possible. Material should be stored in secondary containers or in a diked area, as appropriate. Keep containers tightly closed when not in use. Do not let product go below 32°F. Store locked up. Do not store on wooden floors. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.		
Incompatibilities:	Flammable and combustible materials, strong reducing agents (such as ammonium hydroxide), finely powdered metals. Keep away from intense heat or fire.		
	inyuroxide), illiely powdered flietals. Reep away from litterise fleat of fire.		

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
Component	Magnesium Nitrate					
Exposure Limits:	Hexahyd		Not Establ	ished	PEL, OSHA	
	Mg(NO ₃)	₂ •6H ₂ O				
			Not Establ	ished	TWA, ACGIH	
			Not Establ		IDLH, NIOSH	
			Not Establ		REL, NIOSH	
			Not Establ		STEL, NIOSH	
Engineering	Provide l	ocal exhaust v	entilation a	nd was	sh facilities.	
Controls:						
Personal			ety glasses o	or cher	nical splash-proof \S	goggles (where
Protective		g is possible)				
Equipment:		_	-		e or nitrile), long s	leeved clothing.
	Chemically resistant apron is recommended.					
	Respiratory: None required for ambient air concentrations (i.e. in the open under			•		
	normal agronomic conditions) not exceeding occupational exposure limits.					
	Respiratory protection may be required in the event of a spill in an enclosed area					
	Use a NIOSH/MSHA approved SCBA with full face piece operated in a positive pressure mode.		rated in a positive			
General:	Eye wash stations and safety shower required.					
	SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	С	lear, colorless	Liquid, may	y be sli	ghtly cloudy	
Odor:	0)dorless		UEL / L	.EL:	Not Applicable
Odor Threshold:		lot Applicable	,	Vapor	Pressure:	Similar to water
pH:		.0 to 7.0		Densit	y:	1.34 to 1.36 g/cm ³
Melting/Freezing Point:		0°C (32°F)		Solubil	ity:	Water
Boiling Point:		100°C (>212°F		Log _{ow} :		Not Available
Flash Point:		lot Applicable		Auto la	gnition Temp:	Not Applicable
Evaporation Rate:		imilar to wate			position Temp:	Not Available
Flammability (Solid/Gas):		lot Applicable	,	Viscosi	ty	Not Available

SECTION 10. STABILITY AND REACTIVITY		
Reactivity:	Product may act as an oxidizer, particularly if evaporated to dryness	
Chemical Stability:	Stable under normal conditions	
Possibility of Hazardous	Hazardous polymerization will not occur.	
Reactions:		
Conditions to avoid:	Avoid exposure to extreme temperatures, contact with incompatible	
	chemicals and all contact with combustible materials. Elevated	
	temperatures may cause containers to rupture.	
Incompatible Materials:	Flammable and combustible materials, strong reducing agents (such as	
	ammonium hydroxide), finely powdered metals.	
Hazardous	Magnesium compounds and nitrogen oxides.	
Decomposition Products:		

SECTION 11. TOXILOGICAL INFORMATION		
Acute Toxicity:	LD50 oral (rat): 5440 mg/kg (100% basis)	
	8242 mg/kg (as product)	
	Probable oral lethal dose in humans is 0.5-5.0 g/kg bw (100% basis)	
Likely Routes of	Inhalation, ingestion or skin absorption	
Exposure:		
Symptoms and Signs of	Eyes: Causes mild irritation. May result in redness, tearing and blurred	
Exposure:	vision.	
	Skin: Causes mild irritation to the skin. May result in redness, itching and	
	pain.	
	Ingestion will immediately irritate or burn throat. Symptoms include	
	nausea, abdominal pain, vomiting and diarrhea. Severe overexposure can	
	result in convulsions and collapse. Symptoms occur upon contact and	
	include irritation of mouth, throat and esophagus. Severe ingestion	
	exposures can be fatal. The nitrate component may reduce the bloods	
	ability to transport oxygen causing headache, fatigue, dizziness and blue lips	
	and skin (methemoglobinemia). Symptoms may be delayed.	
	Inhalation of mist may irritate or burn nose, throat and lungs. Coughing,	
	nausea, headaches and weakness are possible.	
Chronic Effects:	Prolonged skin contact may result in dermatitis (inflammation and redness	
	of skin). Repeated ingestion of small amounts may cause weakness,	
	depression, headaches, neurological effects and mental impairment.	
Carcinogenetic:	None of this product's components are listed by ACGIH, OSHA, NIOSH or	
	NTP as carcinogenic.	
	IARC: 2A Probably carcinogenic to humans (Nitrates (ingested) under	
	conditions that result in endogenous nitrosation)	
Mutagenicity:	Not Available	
Reproductive Toxicity:	Not Available	

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity: In high concentrations, this product may be harmful to both terrestrial and		
	aquatic plant or animal life.	
Other Adverse Effects: Not harmful to ozone layer		
Ecotoxicity:	Not Available	

SECTION 13. DISPOSAL CONSIDERATIONS		
General Information:	As packaged, this product is a D001 ignitable waste per 40 CFR 261;	
	applicable to wastes containing this product.	
Disposal Instructions: Agronomical land application at recommended rates or dispose of in		
	accordance with local/regional/national regulations.	

SECTION 14. TRANSPORT INFORMATION			
This material is not hazard	This material is not hazardous as defined by 49 CFR 172.101 by the US Department of Transportation		
Proper Shipping Name:	Not Applicable		
Hazard Class:	Not Applicable		
UN Identification #:	Not Applicable		
Packing Group:	Not Applicable		
Required Label(s):	Not Applicable		
Emergency Response	Not Applicable		
Guide Number:			
Marine Pollutant:	No		

SECTION 15. REGULATORY INFORMATION	
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.
United States – SARA Hazard Category:	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories: Fire – No, Pressure – No, Acute – Yes, Chronic – No, Reactive – No
SARA Title III	This product contains the following substances subject to the reporting
Information:	requirements of Title III (EPCRA) of the Superfund Amendments and
	Reauthorization Act of 1986 and 40 CFR Part 372:
Magnesium Nitrate	CERCLA RQ (pounds): No
Hexahydrate	SARA Reporting, 302: No
CAS No. 13446-18-9	SARA Reporting, 304: No
	SARA Reporting, 313: Yes, 1.0% de minimus concentration (N511, Water
	Dissociable Nitrate)
Federal Insecticide,	This product is not a pesticide.
Fungicide, and	
Rodenticide Act	

State Regulations:	Other state regulations may apply. Check individual state requirements.
Magnesium Nitrate	Appears on one or more of the following state hazardous substance lists:
Hexahydrate	NJ
CAS No. 13446-18-9	

SECTION 16. OTHER INFORMATION

Date of Revision:	12/9/2013, revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards.
Disclaimer:	The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Because safety standards and regulations are subject to change and because Chemical Dynamics, Inc. has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. No warranty, expressed or implied, and no liability is assumed by Chemical Dynamics, Inc. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents.