SAFETY DATA SHEET

Dyna Zone N28 Date Prepared: 4/3/2014 Replaces: All Previous

SECTION 1. IDENTIFICATION

Product Name: Dyna Zone N28
Synonyms: Urea Triazone

Use: Agricultural, Liquid Micronutrient Fertilizer

Manufacturer: Chemical Dynamics, Inc.

4206 Business Lane Plant City FL 33566

Phone: 813-752-4950 Chemtrec (Emergency) Phone: 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Product is not classified as hazardous under normal conditions.

	SECTION 3. COMPOSITION			
Material	CAS#	EINECS #	%WT	
Triazone	7098-14-8	230-406-5	Proprietary Blend of	
Urea	57-13-6	200-315-5	Materials not classified as	
Water	7732-18-5	231-791-2	hazardous	

See product label for guaranteed analysis.

SECTION 4. FIRST AID MEASURES		
General:	In case of persisting adverse effects consult a physician. Treat symptomatically.	
Ingestion:	Drink large amounts of water. Do not induce vomiting. Call doctor or poison control center.	
Skin Contact:	If on skin (or hair): Take off all contaminated clothing and wash exposed skin with soap and water. If irritation persists, seek medical attention.	
Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Seek medical attention if necessary.	
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: get medical attention.	
Acute Exposure Symptoms:	May cause slight, transient irritation of eyes and skin. Ingestion may irritate gastrointestinal tract.	
Chronic Exposure Symptoms:	Not available	

	SECTION 5. FIRE FIGHTING MEASURES		
Extinguishing	Not Flammable. Use extinguishing media appropriate to surrounding fire. Cool		
Media:	containers with water spray from a distance to avoid rupture from thermal expansion.		
Specific Hazards:	This product is an aqueous mixture which will not burn. In a fire, this material may		
	decompose and produce ammonia and oxides of carbon and nitrogen.		
Protective	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid		
Equipment and	inhaling combustion products.		
Precautions for	Fire run-off should be contained to prevent possible environmental damage.		
Fire-Fighters:			
NFPA Rating:	Health: 1, Fire: 0, Reactivity: 0		

	SECTION 6. ACCIDENTAL RELEASE MEASURES
Precautions:	Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying.
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing. Chemical
Equipment:	splash-proof goggles, face shield
	Chemical resistant apron and/or rubber boots may be needed. Clothing and
	equipment can be washed or laundered for reuse.
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand
	and maximize recovery. Avoid infiltration of large quantities into drains, surface
	water, groundwater and soil. Keep out of "waters of the U.S." because of potential
	aquatic toxicity.
Clean Up:	Pump into a suitable tank or absorb with diatomaceous earth or sand. Sweep up
	and place into suitable containers for agronomical land application at
	recommended rates or dispose of in accordance with local/regional/national
	regulations (See Section 13 of SDS).

	SECTION 7. HANDLING AND STORAGE
Precautions for	Material has low toxicity; therefore risk of damage is limited in normal handling.
safe handling:	Use only in a well-ventilated area.
	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Do not eat,
	drink or use tobacco products when handling this material. Apply product in open
	areas. Keep away from children and pets. Do not contaminate feed, seed or any
	water sources. Launder work clothes frequently and separate from other laundry.
Conditions for	Store in a well-ventilated, cool, dry place, away from direct sunlight, sources of
safe storage:	intense heat, or where freezing is possible. Do not allow product to go above
	105°F. Store tote and smaller containers. Inspect all incoming containers before
	storage, to ensure containers are properly labeled and not damaged.
Incompatibilities:	This product is not compatible with copper, zinc or their alloys (i.e. bronze, brass,
	galvanized metals, etc.). These materials of construction should not be used in
	piping, handling systems or storage containers for this product.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION			
Component	Urea	Not Established	PEL, OSHA
Exposure Limits:		10 mg/m ³	TLV, ACGIH
		Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
	Triazone	Not Established	PEL, OSHA
		Not Established	TLV, ACGIH
		Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
Engineering	Provide local exhaust ventilation and wash facilities.		
Controls:			
Personal	Eyes: chemical splash-proof goggles and face shield		
Protective	Skin: Impervious gloves (rubber, neoprene or nitrile), long sleeved clothing and		
Equipment:	Chemically resistant apron.		
	Respiratory: None required for ambient air concentrations (i.e. in the open under		
	normal agronomic conditions).		
	Use NIOSH approved respirator when dusts, mists, or vapors are present.		
General:	Eye wash stations and safety shower recommended. There are no known hazards		
	associated with this product when used as recommended, however common good		
	industrial hygiene practices should be followed, such as, washing thoroughly after		
	handling and before ea	ating or drinking.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Clear, light blue to colorless liquid		
Odor:	Amine odor UEL / LEL: Not Applicable		
Odor Threshold:	Not Available	Vapor Pressure:	Similar to water
pH:	9.0 to 10.5	Density:	1.28 g/cm ³
Melting/Freezing Point:	< 0°C (32°F)	Solubility:	Water
Boiling Point:	104°C (219°F)	Log _{ow} :	Not Available
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable
Evaporation Rate:	Not Available	Decomposition Temp:	Not Available
Flammability (Solid/Gas):	Not Applicable	Viscosity	67.5 Cp @ 25°C

SECTION 10. STABILITY AND REACTIVITY		
Reactivity:	Stable	
Chemical Stability:	Stable under normal conditions	
Possibility of Hazardous	Hazardous polymerization will not occur.	
Reactions:		
Conditions to avoid:	Heat, strong oxidizers and acids or acidic materials. Elevated temperatures	
	may cause containers to rupture. Do not allow product to go above 105°F.	
Incompatible Materials:	Strong oxidizers such as nitrates, nitrites or chlorates can cause explosive	
	mixtures if heated to dryness. Avoid contact with acids or acid materials.	
	This product is not compatible with copper, zinc or their alloys (i.e. bronze,	
	brass, galvanized metals, etc.). These materials of construction should not	
	be used in piping, handling systems or storage containers for this product.	
Hazardous	Heating this product will evolve ammonia. Heating to dryness will cause the	
Decomposition Products:	production of ammonia, and oxides of carbon. Ammonia (16-25%) may	
	form flammable mixtures with air.	

	SECTION 11. TOXILOGICAL INFORMATION	
Acute Toxicity:	LD50 oral (rat): > 2000 mg/kg for all components	
Likely Routes of	Contact with eyes	
Exposure:		
Symptoms and Signs of	Eyes: May cause irritation	
Exposure:	Skin: Repeated or prolonged skin contact may cause skin irritation.	
	Inhalation: Repeated or prolonged inhalation of mists may lead to	
	respiratory irritation.	
	<u>Ingestion:</u> Ingestion may irritate the gastrointestinal tract.	
Chronic Effects:	Not Available	
Carcinogenetic:	None of this product's components are listed by IARC, ACGIH, OSHA, NIOSH	
	or NTP as carcinogenic.	
Mutagenicity:	This product is not mutagenic in an Ames Assay using Salmonella	
	tyimurium.	
Reproductive Toxicity:	Not Available	

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity:	Ecotoxicity: Not Available	
Other Adverse Effects:	Other Adverse Effects: Not harmful to ozone layer	
Ecotoxicity:	Ecotoxicity: Urea: LC50 – Poecilia retiulata (guppy): 17,500 mg/L for 96 hrs	
	Triazone: Not Available	

SECTION 13. DISPOSAL CONSIDERATIONS		
General Information:	None	
Disposal Instructions: Agronomical land application at recommended rates or dispose of in		
	accordance with local/regional/national regulations.	

SECTION 14. TRANSPORT INFORMATION			
This material is not hazard	This material is not hazardous as defined by 49 CFR 172.101 by the US Department of Transportation		
Proper Shipping Name:	Urea Triazone solution (Not regulated by DOT)		
Hazard Class:	Not Applicable		
UN Identification #:	Not Applicable		
Packing Group:	Not Applicable		
Required Label(s):	Not Applicable		
Emergency Response	Not Applicable		
Guide Number:			
Marine Pollutant:	No		

SECTION 15. REGULATORY INFORMATION	
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.
United States – SARA Hazard Category:	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories: Fire – No, Pressure – No, Acute – Yes, Chronic – No, Reactive – No
SARA Title III	This product contains the following substances subject to the reporting
Information:	requirements of Title III (EPCRA) of the Superfund Amendments and
	Reauthorization Act of 1986 and 40 CFR Part 372:
Triazone	CERCLA RQ (pounds): No
CAS No. 31138-65-6	SARA Reporting, 302: No
and Urea	SARA Reporting, 304: No
CAS No. 57-13-6	SARA Reporting, 313: No
Federal Insecticide,	
Fungicide, and	This product is not a pesticide.
Rodenticide Act	
State Regulations:	Other state regulations may apply. Check individual state requirements.

Page 5 of 6

SECTION 16. OTHER INFORMATION

Date of Revision:	4/3/2014, revision prepared in accordance with 29 CFR 1910.1200 Appendix
	D to meet Global Harmonization Standards.
Disclaimer:	The information contained in this SDS refers only to the specific material
	designated and does not relate to any process or use with any other
	materials. This information is based on data believed to be accurate and
	reliable as of the date hereof. It is intended for use by persons possessing
	technical knowledge at their own discretion and risk. Because safety
	standards and regulations are subject to change and because Chemical
	Dynamics, Inc. has no continuing control over the material, those handling,
	storing or using the material should satisfy themselves that they have
	current information regarding the particular way the material is handled,
	stored or used and that the same is done in accordance with federal, state
	and local law. No warranty, expressed or implied, and no liability is assumed
	by Chemical Dynamics, Inc. in conjunction with the use of this information.
	Nothing herein is to be construed as a recommendation to infringe any
	patents.

SDS: Dyna Zone N28 Chemical Dynamics, Inc.