SAFETY DATA SHEET		
Soar Citrus MixDate Prepared: 11/17/2014Replaces: All Previou		
SECTION 1. IDENTIFICATION		
Product Name:	Soar Citrus Mix	
Synonyms:	SOARCIT	
Use:	Agricultural, Liquid Micronutrient Fertilizer	
Manufacturer:	Chemical Dynamics, Inc.	
	4206 Business Lane	
	Plant City FL 33566	
Phone:	813-752-4950	
Chemtrec (Emergency) Phone:	800-424-9300	

SECTION 2. HAZARDS IDENTIFICATION				
Pictogram	Signal Word	al Word Hazard Class Hazard Category Hazard Stateme		Hazard Statement
<b>O</b>		Oxidizing Liquid	Cat 3	May intensify fire; oxidizer
· 🔥 ·		Skin Irritation	Cat 2	Causes skin irritation
00		Eye Irritation	Cat 2A	Causes serious eye
	WARNING			irritation
		Corrosive to Metals	Cat 1	May be corrosive to
				metals
	_	STOT: Repeat Exposure	Cat 2	May cause damage to central nervous system and lungs through prolonged or repeat exposure
Precautionary	Prevention: Ke	eep away from heat. Store aw	ay from clothing and	combustible materials. Take
Statements:	any precaution	n to avoid mixing with combus	tibles. Wear protectiv	e gloves, chemical splash
		and face protection. Do not br	•	
	or in a well-ventilated area. Wash thoroughly after use. Do not eat/drink/smoke when using			
	this product. Keep only in original container.			
	<b>Response</b> : <u>If swallowed</u> : rinse mouth, Do NOT induce vomiting. Immediately call doctor or poison control.			
	If on skin: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash			
	contaminated clothing before reuse. If skin irritation occurs: Get medical attention.			
	If inhaled: Remove person to fresh air and keep comfortable for breathing. Call doctor or			
	poison control if you feel unwell.			
	If in avos · Rins	a cautiously with water for sev	veral minutes Remov	a contact lansas if present

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical attention.

Get medical advice/attention if you feel unwell.

Absorb spillage to prevent material damage.

**Storage**: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant container (See Section 7 of SDS).

**Disposal**: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.

SECTION 3. COMPOSITION			
Material	CAS #	EINECS #	%WT
Manganese Glucoheptonate	12565-60-5	Not Assigned	Withheld
Iron Glucoheptonate	25126-38-9	Not Assigned	Withheld
Zinc Glucoheptonate	12565-63-8	Not Assigned	Withheld

The chemical identities and/or exact composition of this product are being withheld as a Trade Secret, are below de minimus cut off limits or are not classified as hazardous.

	SECTION 4. FIRST AID MEASURES
Ingestion:	Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give
	anything by mouth to an unconscious person.
Skin Contact:	Take of immediately all contaminated clothing. Rinse skin with water/shower.
	Wash contaminated clothing before reuse.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. If not breathing,
	give artificial respiration. Seek prompt medical attention.
Eye Contact:	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing eyes during transport to hospital.
Acute Exposure	Harmful if swallowed or inhaled. Immediately seek medical attention. Destructive
Symptoms:	to mucous membranes and upper respiratory tract, eyes and skin. Redness and
	irritation of tissue may occur. Immediately call doctor.
Chronic Exposure	Manganese may lead to neurotoxicity that resembles Parkinson disease. These
Symptoms:	patients may have bradykinesia, resting tremor, psychiatric disturbances, and
	shuffling gait.

See product label for guaranteed analysis.

	SECTION 5. FIRE FIGHTING MEASURES
Extinguishing	Use water. Do not use dry chemicals or foams. CO2 or halon may provide limited
Media:	control. Cool containers with water spray to avoid rupture due to thermal expansion.
Specific Hazards:	This product is an aqueous mixture which will not burn. Under fire conditions, this product may behave as an oxidizer, particularly if evaporated to dryness. Contact with oxidizable substances may result in ignition. Violent combustion or explosion when involved in fire can occur. This material may decompose and produce acrid vapors, manganese, iron, and zinc compounds and oxides of nitrogen. For safety, avoid water spray with full jet to prevent spread of product.
Protective	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid
Equipment and	inhaling combustion products.
Precautions for	Fire run-off should be contained to prevent possible environmental damage.
Fire-Fighters:	
NFPA Rating:	Health: 2, Fire: 0, Reactivity: 1, OX

	SECTION 6. ACCIDENTAL RELEASE MEASURES
Precautions:	Acidic liquid. Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying. Do not touch or walk through spilled material.
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing.
Equipment:	Chemical splash-proof goggles, face shield.
	Chemical resistant apron and/or rubber boots may be needed.
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand and maximize recovery. Do not absorb in saw dust.
Clean Up:	Pump into a suitable tank or absorb with diatomaceous earth or sand. Sweep up and place into suitable containers for agronomical land application at recommended rates or dispose of in accordance with local/regional/national regulations (See Section 13 of SDS).
	SECTION 7. HANDLING AND STORAGE
Precautions for safe handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Open containers carefully. Do not eat, drink or use tobacco products when handling this material. Apply product in open areas. Keep away from children and pets. Do not contaminate feed, seed or any water sources. Launder work clothes frequently and separate from other laundry.
Conditions for safe storage:	Store in a well-ventilated, cool, dry place, away from direct sunlight, sources of intense heat, or where freezing is possible. Material should be stored in secondary containers or in a diked area, as appropriate. Do not store on wood floors. Keep containers tightly closed when not in use. Do not let product go below 32°F. Store locked up. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Polypropylene, polyethylene and fiberglass are acceptable materials for storage containers.
Incompatibilities:	Flammable and combustible materials, strong reducing agents, finely powdered metals. Keep away from intense heat or fire.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION			
Component	Manganese	5 mg/m <sup>3</sup>	PEL, OSHA (fume, as Mn compounds)
<b>Exposure Limits:</b>	Glucoheptonate	0.2 mg/m <sup>3</sup>	TWA, ACGIH (fume, as Mn compounds)
		500 mg/m <sup>3</sup>	IDLH, NIOSH (as Mn Compounds)
		1 mg/m <sup>3</sup>	REL, NIOSH (as Mn Compounds)
		3 mg/m <sup>3</sup>	STEL, NIOSH (as Mn Compounds)
	Iron Glucoheptonate	1 mg/m3	PEL, OSHA (as soluble iron salts)
		1 mg/m3	TLV, ACGIH (as soluble iron salts)
		Not Established	IDLH, NIOSH
		1 mg/m3	REL, NIOSH (as soluble iron salts)
		Not Established	STEL, NIOSH
	All other components	Not Established	PEL, OSHA
	in product	Not Established	TWA, ACGIH
		Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH

Engineering	Provide ventilation sufficient to maintain exposure below exposure limits. Washing
Controls:	facilities should be available.
Personal	Eyes: Chemical splash-proof goggles and face shield
Protective	Skin: Impervious gloves (rubber, neoprene or nitrile), long sleeved clothing.
Equipment:	Chemically resistant apron is recommended.
	<u>Respiratory</u> : None required for ambient air concentrations (i.e. in the open under normal agronomic conditions) not exceeding occupational exposure limits. Respiratory protection may be required in the event of a spill in an enclosed area. Use a NIOSH/MSHA approved SCBA with full face piece operated in a positive pressure mode when misting is present.
General:	Eye wash stations and safety shower required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Dark, Opaque Liquid		
Odor:	Slight sweet odor	UEL / LEL:	Not Applicable
Odor Threshold:	Not Available	Vapor Pressure:	Similar to water
pH:	1.0 to 2.3	Density:	1.38 to 1.41 g/cm <sup>3</sup>
Melting/Freezing Point:	< 0°C (< 32°F)	Solubility:	Water
Boiling Point:	> 100°C (>212°F)	Log <sub>ow</sub> :	Not Available
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable
Evaporation Rate:	Similar to water	<b>Decomposition Temp:</b>	Not Available
Flammability (Solid/Gas):	Not Applicable	Viscosity	Not Available

SECTION 10. STABILITY AND REACTIVITY		
Reactivity:	Product may act as an oxidizer, particularly if evaporated to dryness	
Chemical Stability:	Stable under normal conditions	
Possibility of Hazardous	Hazardous polymerization will not occur.	
Reactions:		
Conditions to avoid:	Avoid exposure to extreme temperatures, contact with incompatible chemicals and all contact with combustible materials. Elevated temperatures may cause containers to rupture. Low temperatures may cause product to salt out.	
Incompatible Materials:	Flammable and combustible materials, strong reducing agents, finely powdered metals.	
Hazardous Decomposition Products:	Manganese, Zinc, Magnesium, and Iron compounds. Oxides of Nitrogen	

SECTION 11. TOXILOGICAL INFORMATION	
Acute Toxicity:	Manganese Glucoheptonate and Zinc Glucoheptonate:
	LD50 oral (rat): Not available, but for an analog manganese and
	zinc complexes: LD50 oral (rat) >5000 mg/kg
	Iron Glucoheptonate and all other components in product
	LD50 oral (rat): >2000 mg/kg

Likely Routes of	Inhalation, ingestion or skin absorption
Exposure:	
Symptoms and Signs of	Eves: Contact can cause irritation, pain and redness. Severe exposure can
Exposure:	result in conjunctiva along with tissue damage and blindness.
	Skin: Depending on the duration of skin contact, symptoms will include
	reddening, discomfort, irritation and possible tissue damage and burns.
	Ingestion: Immediately upon contact, this product will cause irritation and
	burns of the mouth, throat, esophagus and other tissues of the digestive
	system. Symptoms include nausea, abdominal pain, vomiting and diarrhea.
	May damage the oxygen transport system of the blood
	(methemoglobinemia). Severe ingestion exposure can be fatal.
	Inhalation: Gases or mist causes irritation to the upper respiratory system,
	including the mucous membranes of the nose, mouth and throat. Coughing,
	fever, nausea, irritability, spasms, possible pneumonia, apathy, headaches,
	weakness and chemical burns if inhaled.
Chronic Effects:	Manganese may lead to neurotoxicity that resembles Parkinson disease.
	These patients may have bradykinesia, resting tremor, psychiatric
	disturbances, and shuffling gait. Also, chronic excess manganese
	inhalational exposures may lead to pulmonary inflammation and
	subsequent reactive airway disease.
Carcinogenetic:	None of this product's components are listed by ACGIH, OSHA, NIOSH or
	NTP as carcinogenic.
	IARC: 2A Probably carcinogenic to humans (Nitrates (ingested) under
	conditions that result in endogenous nitrosation)
Mutagenicity:	Not Available
<b>Reproductive Toxicity:</b>	Not Available

SECTION 12. ECOLOGICAL INFORMATION	
General Information:	In high concentrations, this product may be dangerous to aquatic life and
	fouling shorelines.
<b>Other Adverse Effects:</b>	Not harmful to ozone layer
Ecotoxicity:	Manganese Glucoheptonate: Not Available. However, for analogous,
	derived from water soluble manganese compound:
	LC50 Daphnia magna (Water Flea): 15200 ug/L/48 hr; static
	LC50 Canthocamptus sp (Harpacticoid Copepod): 150 ug/L/48 hr;
	static
	LC50 Pimephales promelas (Fathead Minnow): 30600 ug/L/96 hr;
	flow through
	Zinc Glucoheptonate, Iron Glucoheptonate: Not Available

SECTION 13. DISPOSAL CONSIDERATIONS		
General Information:	As packaged, this product is a D001 ignitable and D002 corrosive waste per	
	40 CFR 261; applicable to wastes containing this product.	
Disposal Instructions:	Agronomical land application at recommended rates or dispose of in	
	accordance with local/regional/national regulations. Containers may be triple	
	rinsed and offered for recycling.	
SECTION 14. TRANSPORT INFORMATION		
This material is hazardous as defined by 49 CFR 172.101 by the US Department of Transportation		
Proper Shipping Name:	Corrosive Liquid, N.O.S. (Acidic Fertilizer Solution)	
Hazard Class:	8	
UN Identification #:	1760	
Packing Group:	II	
Required Label(s):	Corrosive	
Emergency Response	140	
Guide Number:		
Marine Pollutant:	Yes (Manganese)	
Special Provisions for	NOTE 1: Not regulated by the Hazardous Materials Regulations and not	
Transport	subject to placarding when transported by motor vehicle or railcar in	
	packaging constructed of materials that will not react dangerously with or	
	be degraded by the corrosive material. – 49 CFR 173.154(d).	
	NOTE 2: Not classified as a Division 5.1 Oxidizer – 49 CFR 172.102 Special	
	Provisions 58 and 332.	
SECTION 15. REGULATORY INFORMATION		
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.	
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.	
United States – SARA	This product has been reviewed according to the EPA Hazard Categories	
Hazard Category:	promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under	
	applicable definitions, to meet the following categories:	
	Fire – No, Pressure – No, Acute – Yes, Chronic – Yes, Reactive – Yes	
SARA Title III	This product contains the following substances subject to the reporting	
Information:	requirements of Title III (EPCRA) of the Superfund Amendments and	
	Reauthorization Act of 1986 and 40 CFR Part 372:	
	CERCLA RQ (pounds): Manganese and Zinc Glucoheptonate. No RQ is	
	assigned to this generic or broad class, (Manganese and Zinc compounds)	
	although the class is a CERCLA hazardous substance. See 50 Federal Register	
1		
	с	
	13456 (April 4, 1985).	
	13456 (April 4, 1985). SARA Reporting, 302: No	
	13456 (April 4, 1985). SARA Reporting, 302: No SARA Reporting, 304: No	
	13456 (April 4, 1985). SARA Reporting, 302: No SARA Reporting, 304: No SARA Reporting, 313: Yes, 1.0% de minimus concentration (Manganese	
	13456 (April 4, 1985). SARA Reporting, 302: No SARA Reporting, 304: No	

Iron Glucoheptonate and	CERCLA RQ (pounds): No
all other components	SARA Reporting, 302: No
	SARA Reporting, 304: No
	SARA Reporting, 313: No
State Regulations:	Other state regulations may apply. Check individual state requirements.

## **SECTION 16. OTHER INFORMATION** Date of Revision: 11/14/2013, revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards. Disclaimer: The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Because safety standards and regulations are subject to change and because Chemical Dynamics, Inc. has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. No warranty, expressed or implied, and no liability is assumed by Chemical Dynamics, Inc. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any

patents.