GHARANTEED ANALYSIS.

Application Rates & Recommendations:

Sand-Based Mixes And Native Sandy Soils
Corrective Application: Make an initial application of 4
ounces per 1,000 square feet, then follow with 4 ounces per
1,000 square feet every 14 days.

Maintenance Applications: 14 Day Applications: Make initial application of 4 ounces per 1,000 square feet, then follow with 2 ounces per 1,000 square feet every 14 days thereafter. 21 Day Applications: 4 ounces per 1,000 square feet. 30 Day Applications: 4 to 6 ounces per 1,000 square feet.

Heavy, Non-sandy Soils

Corrective Application: Make an initial application of 4 ounces per 1,000 square feet, then follow with 4 ounces per 1,000 square feet every 14 days. (Approximately 1.35 gallons per acre initial application, then 1.35 gallons per acre every 14 days.)

Maintenance Applications: 14 Day Applications: Make initial application of 4 ounces per 1,000 square feet, then follow with 2 ounces per 1,000 square feet every 14 days thereafter. 30 Day Applications: 2 to 4 ounces per 1,000 square feet.

For Seeding: To enhance stand establishment, use 4 ounces per 1,000 square feet and apply 2 weeks before seeding.

Standard Spray Volume: For all applications is 2 gallons of water per 1,000 square feet.

Use sufficient water for thorough and uniform coverage of foliage or soil. Always make a bench test to check compatibility of unknown mixes. Avoid tank mixing with heavy-phosphate fertilizers or alkaline products. Apply in early morning or late evening, avoid excessive heat or dry conditions.

Manufactured by:

CHEMICAL DYNAMICS

4206 Business Lane | Plant City, FL 33566

813-752-4950 | Weight per gallon: 8.50 lbs | F910



Seller warrants that products will be labeled as required under state and federal law and that they conform to the label description. Any nonconformance must be reported in writing to Seller within thirty (30) days after purchase as a prerequisite to maintaining any claim against Seller. Buyer agrees to inspect all products purchased immediately upon delivery.

THE SELLER'S LIABILITY ON THIS WARRANTY IS LIMITED INAMOUNT TO THE PURCHASE PRICE OF THE PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THIS STATEMENT

Prevention: Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear chemical splash proof goggles and chemical resistant gloves.

Response: Get medical attention/advice if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

<u>If swallowed</u>: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water.

If on skin (or hair): Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse. If skin irritation occurs, get medical attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Storage: Keep container tightly closed when not in use. Store above 42°F.

Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.

Product is not classified as hazardous under 29 CFR 1910.1200 under normal conditions.

Keep away from children. Do not drink. Do not contaminate feed, seed or water. Read SDS

Net Weight:

Net Contents:

Lot Number: version 06.01.25

GHARANTEED ANALYSIS-

Alkoxylated Polyols	20.00%
Inert Ingredients	80.00%

Application Rates & Recommendations

Golf Courses - Greens, Tees & Fairways,
Athletic Fields - Treating Existing Problems: Apply 8 oz
per 1000 sq ft in 1 gallon of water. Reapply at 4-8 oz per 1000
sq ft in 1 gallon of water on a weekly basis until problem is
alleviated. Continue to use on a weekly basis as needed at 4-8
oz per 1000 sq ft. Flow Rite does not need to be watered in
following application. Irrigate before next mowing.
Following Topdress Applications: To treat areas following
topdress applications, apply 4-8 oz per 1000 sq ft in 1 gallon
of water on a weekly basis as needed. Flo Rite does not need to
be watered in following application. Irrigate before next
mowing.

Lawns - General Turf - Treating Existing Problems: Apply 8 oz per 1000 sq ft in 1 gallon of water. Reapply at 4-8 oz per 1000 sq ft in 1 gallon of water on a weekly basis until problem is alleviated. Continue to use monthly as needed at 4-8 oz per 1000 sq ft. Flo Rite does not need to be watered in following application. Irrigate before next mowing.

Sodding — After laying sod, apply 8 oz per 1000 sq ft in 2 gallons of water. DO NOT combine Flow Rite in the spray tank with pesticides or fertilizers unless prior use has shown the combination physically compatible, effective, and noninjuries under your conditions.


Use sufficient water for thorough and uniform coverage of foliage or soil. Always make a bench test to check compatibility of unknown mixes. Avoid tank mixing with heavy-phosphate fertilizers or alkaline products. Apply in early morning or late evening, avoid excessive heat or dry conditions.

Manufactured by:

CHEMICAL DYNAMICS

4206 Business Lane | Plant City, FL 33566

813-752-4950 | Weight per gallon: 8.40 lbs | F910



Seller warrants that products will be labeled as required under state and federal law and that they conform to the label description. Any nonconformance must be reported in writing to Seller within thirty (30) days after purchase as a prerequisite to maintaining any claim against Seller. Buyer agrees to inspect all products purchased immediately upon delivery.

THE SELLER'S LIABILITY ON THIS WARRANTY IS LIMITED INAMOUNT TO THE PURCHASE PRICE OF THE PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THIS STATEMENT

Prevention: Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear chemical splash proof goggles and chemical resistant gloves.

Response: Get medical attention/advice if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

<u>If swallowed</u>: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water.

If on skin (or hair): Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse. If skin irritation occurs, get medical attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Storage: Keep container tightly closed when not in use. Store above 42°F.

Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.

Product is not classified as hazardous under 29 CFR 1910.1200 under normal conditions.

Keep a way from children. Do not drink. Do not contaminate feed, seed or water. Read SDS

Net Weight:

Net Contents:

Lot Number: version 06.01.25

GUARANTEED ANALYSIS:

Humic Acid	8.00%
Fulvic Acid	3.00%
Blackstrap Molasses	2.00%
Derived from: Leonardite Shale	
Non-Plant Food Materials: Alkoyylated Polyols 25% Ris	ekstran

Molasses, and Ascophyllum Nodosum

Application Rates & Recommendations

For injection uses, apply at 4-6 fl oz per 1000 sqft on a weekly basis.

For spray uses, apply 16-24 fl oz per acre every other week.


Use sufficient water for thorough and uniform coverage of foliage or soil. Always make a bench test to check compatibility of unknown mixes. Avoid tank mixing with heavy-phosphate fertilizers or alkaline products. Apply in early morning or late evening, avoid excessive heat or dry conditions.

Manufactured by:

CHEMICAL DYNAMICS

4206 Business Lane | Plant City, FL 33566

813-752-4950 | Weight per gallon: 8.95 lbs | F910



Seller warrants that products will be labeled as required under state and federal law and that they conform to the label description. Any nonconformance must be reported in writing to Seller within thirty (30) days after purchase as a prerequisite to maintaining any claim against Seller. Buyer agrees to inspect all products purchased immediately upon delivery.

THE SELLER'S LIABILITY ON THIS WARRANTY IS LIMITED INAMOUNT TO THE PURCHASE PRICE OF THE PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THIS STATEMENT

Prevention: Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear chemical splash proof goggles and chemical resistant gloves.

Response: Get medical attention/advice if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

<u>If swallowed</u>: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water.

If on skin (or hair): Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse. If skin irritation occurs, get medical attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Storage: Keep container tightly closed when not in use. Store above 42°F.

Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.

Product is not classified as hazardous under 29 CFR 1910.1200 under normal conditions.

Keep away from children. Do not drink. Do not contaminate feed, seed or water. Read SDS

Net Weight:

Net Contents:

Lot Number: version 06.01.25