

Material Safety Data Sheet

Product: **Dyna Gro Manganese 15%**

May be used to comply with OSHA's Hazard Communication Standard 29CFR 1910. Standard must be consulted for specific requirements.

QUICK IDENTIFIER

Common Name: Manganese Nitrate or Mega Mix Mn

SECTION 1 - COMPANY INFORMATION

Manufacturer's Name: Chemical Dynamics, Inc. Emergency Telephone Number: 1-800-424-9300
Address: 4206 Business Lane Other Information Call: 1-813-752-4950
City, State, and Zip: Plant City, Florida 33566 Date Prepared: 3/11/04

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))	OSHA PEL	ACGIH TLV	EXPOSURE LIMITS	CAS NO.
Manganese Nitrate	1.0 mg/M3	0.2 mg/M3	500 mg/M3	10377-66-9

SECTION 3- PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point: > 212 °F **Specific Gravity:** 1.574 **Vapor Pressure:** N/A

Vapor Pressure: N/A **Reactivity in Water:** Soluble **Melting Point:** N/A

Appearance and Odor: Colorless to slightly pink; no appreciable odor.

SECTION 4- FIRE & EXPLOSION DATA

Flash Point: N/A °F **Method Used:** N/A
Flammable Limits in Air: N/A **LEL Lower:** **UEL Upper:**
Auto-ignition Temp: N/A **Extinguisher Media:** Non flammable if involved in fire, can extinguish with dry chemical; CO₂, water spray or foam.

Special Fire Fighting Procedures: This product is non-flammable, and does not support combustion. If heated to decomposition the nitrate ion will support combustion and could explode. Use of SCBA is recommended. Fire run-off water should be contained to prevent possible environmental damage.

Unusual Fire and Explosion Hazards: If this product is heated to an anhydrous state it will emit nitrates which are oxidizing agents. Exposure to high heat can emit toxic vapors.

SECTION 5- PHYSICAL HAZARDS (REACTIVITY DATA)

Stability: Stable Unstable **Conditions to Avoid:** Excessive heat

Incompatibility Materials to Avoid!: Flammable and combustible materials; strong reducing agents such as ammonia; finely powdered materials.

SECTION 5- PHYSICAL HAZARDS (REACTIVITY DATA)..Continued**Hazardous Decomposition Products:**Hazardous Polymerization: May Occur: Will Not Occur:

Conditions to Avoid: Extreme Heat.

SECTION 6- HEALTH HAZARDS**ACUTE:** Mild skin irritant, conjunctivitis, upset stomach and/or gastrointestinal symptoms are temporary.**CHRONIC:** Prolonged skin contact may result in dermatitis (drying) or eczema (itching)**CARCINOGEN
LISTED IN:****NTP
IARC MONOGRAPH** X**OSHA
NOT LISTED****ROUTES OF ENTRY AND EMERGENCY FIRST AID PROCEDURES**

- | | |
|-----------------------|--|
| 1. Inhalation: | No hazard under normal conditions. If necessary move victim to fresh air. If symptoms persist call a physician. Administer CPR if necessary. |
| 2. Eyes: | Flush eyes with running water for 15 minutes. If redness persists, seek medical attention. |
| 3. Skin: | Remove contaminated clothing, wash with clean water and soap. Put on clean clothes. |
| 4. Ingestion: | Give large amounts of water. DO NOT INDUCE VOMITING. Call physician immediately. |

SECTION 7- SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES**Precautions to be Taken****Handling and Storage:** Store in cool ventilated place away from fire hazards, excessive heat, flammable or easily oxidizable materials. Do not allow product to dry out.**Other Precautions:** Do not allow product to go below 35 degrees. Apply product in open areas. Keep away from children and pets. Do not contaminate feed, seed or any water sources.**Steps to be taken in case of Release or Spill:** Dike area and maximize recovery. Pump into a tank or absorb with diatomaceous earth or sand. Sweep up and place into containers for land application at recommended rates. Prevent entry into sewers or waterways.**Environmental****Precautions:** Relatively low toxicity to fish and aquatic organisms. Do not contaminate any waterway, lake, stream or estuary by direct application of cleaning of equipment or disposal. Triple rinse containers and offer for recycling or dispose of in an approved landfill. Consult Federal, state and local regulations for proper disposal.

SECTION 8- CONTROL AND PROTECTIVE MEASURES

Respiratory Protection: None required if used in open under normal conditions. Respiratory protection may be required in the event of a spill in an enclosed area. Use SCBA when fighting fires.

Protective Gloves: Impervious gloves from rubber, neoprene or nitrile.

Eye Protection: Side-shielded safety glasses or chemical splash-proof goggles.

Other Protective

Clothing or equipment: Eye wash station with safety shower. Use of a chemically resistant apron may be required for some activities.

Hygienic Work Practice Bathe and change clothes daily. Wash contaminated clothing separate from other laundry.

SECTION 9- TRANSPORT AND REGULATORY INFORMATION

MATERIAL IS HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION

Proper Shipping Name: Manganese Nitrate solution

Hazard Class Number: 5.1 Oxidizer

Description: Manganese Nitrate

**UN Identification
Number:** 2724

Packing Group: III

DOT Label(s) Required: Oxidizer 5.1

NFPA CODE: Health = 2 Flammability = 0 Reactivity = 0

Toxicity:

Notes: Product is subject to the reporting requirements under EPCRA (SARA Title II) under section 304 and 313 as a manganese compound.
